



Art.-Nr: AIR009ML-AZ Exit sign Centralised power supply systems Recessed wall mounting, ML, CPS, 15 m, IP40, Zinc die-cast, Anthracite

The AIR is a zinc-diecast exit sign with recessed wall mounting and for the marking of escape routes. It is part of a complete luminaire series, which features solutions for every mounting situation and was honored with the German Design Award. Luminaires of the A-Series are equipped with modern LED illuminants and offer flexibility with changeable pictograms.







More information



TECHNICAL DATA

Luminaire type	Exit sign
Mounting	Recessed wall mounting
Recognition distance	15 m
Pictograph	Set
Illuminant	LED
Housing material	Zinc die-cast
Housing color	Anthracite
Protection type (IP)	IP40
Impact resistance (IK)	≥ 3
Certification	WEEE, CE
Insulation class	2
Supply	Centralised power supply systems
Monitoring	ML
Bridging time	CPS
Operating mode	single luminaire switching
Input voltageAC	230 V
Input frequency	50 / 60 Hz
Input voltage DC	216 V
Power max.	2,25 W
Power DS	2,25 W







Power BS	0,7 W
Ambient temperature DS	-35 °C - 40 °C
Ambient temperature BS	-35 °C - 40 °C
Depth	58 mm
Width	167 mm
Height	118 mm
Installation dimensions Diameter	68 mm
Weight	0.54
Weight incl. packaging	0.79
Connection cross-section	2.5 mm²
Switching input	No
Emergency light blocking	No
Battery connection	No
Dimming function	No
Customs tariff number	94056180
EAN	4260581713447







TECHNICAL DRAWING













RELATED PRODUCTS

ArtNo.	lmage	Monitoring	Supply	Color	Investment	Automatic log	Maintenance level	Remote maintenance	max. luminaires	Single luminaire monitoring
AIR009ML		ML	Central power supply		€€€	Yes	low	Yes	1,920 per system	central
AIR009ML-E		ML	Central power supply		€€€	Yes	low	Yes	1,920 per system	central
AIR509CC		CoreCompact 24	Central power supply		€€	Yes	low	Yes		central
AIR509CC- AZ		CoreCompact 24	Central power supply		€€	Yes	low	Yes		central
AIR509CC-E		CoreCompact 24	Central power supply		€€	Yes	low	Yes		central

As of: 10.07.2024 - Subject to technical changes and errors.