



**Art.-Nr: AMC509CC-E**

**Exit sign Central power supply**

**Ceiling mounting, CoreCompact 24, Central power supply, 22 m, IP20, Zinc die-cast, Stainless steel**

The AMC is a zinc-diecast exit sign for recessed ceiling mounting and for the marking of escape routes. It is part of a complete luminaire series, which features solutions for every mounting situation and was honored with the German Design Award. Luminaires of the A-Series are equipped with modern LED illuminants and offer flexibility with changeable pictograms.

LED exit sign according to EN 60598-1, EN 60598-2-22, EN 7010 and EN 1838



[More information](#)



## TECHNICAL DATA


| Luminaire type         | Exit sign                           |
|------------------------|-------------------------------------|
| Mounting               | Ceiling mounting                    |
| Recognition distance   | 22 m                                |
| Pictograph             | Set                                 |
| Illuminant             | LED                                 |
| Housing material       | Zinc die-cast                       |
| Housing color          | Stainless steel                     |
| Protection type (IP)   | IP20                                |
| Impact resistance (IK) | ≥ 3                                 |
| Certification          | Waste disposal, CE, ENEC            |
| Insulation class       | 2                                   |
| Supply                 | Central power supply                |
| Monitoring             | CoreCompact 24                      |
| Bridging time          | Central power supply                |
| Operating mode         | Standby circuit / permanent circuit |
| Input voltageAC        | 24 V                                |
| Power max.             | 2,6 W                               |
| Power DS               | 2,6 W                               |
| Power BS               | 0,4 W                               |
| Depth                  | 80 mm                               |



|                          |                     |
|--------------------------|---------------------|
| Width                    | 236 mm              |
| Height                   | 214 mm              |
| Installation length      | 176 mm              |
| Installation width       | 68 mm               |
| Installation height      | 40 mm               |
| Weight                   | 1.03                |
| Weight incl. packaging   | 1.39                |
| Connection cross-section | 2.5 mm <sup>2</sup> |
| Switching input          | No                  |
| Emergency light blocking | No                  |
| Battery connection       | No                  |
| Luminous flux mains      | 165 lm              |
| Luminous flux emergency  | 165 lm              |
| Customs tariff number    | 94056180            |
| Country of origin        | DEUTSCHLAND         |
| EAN                      | 4260682156174       |



## TECHNICAL DRAWING



## ACCESSORY LIST

AM-XBE -



## RELATED PRODUCTS

| Art.-No.    | Image   | Monitoring     | Supply               | Color | Investment | Automatic log | Maintenance level | Remote maintenance | max. luminaires  | Single luminaire monitoring |
|-------------|---|----------------|----------------------|-------|------------|---------------|-------------------|--------------------|------------------|-----------------------------|
| AMC009ML    |    | ML             | Central power supply |       | €€€        | Yes           | low               | Yes                | 1,920 per system | central                     |
| AMC009ML-AZ |   | ML             | Central power supply |       | €€€        | Yes           | low               | Yes                | 1,920 per system | central                     |
| AMC009MLE   |  | ML             | Central power supply |       | €€€        | Yes           | low               | Yes                | 1,920 per system | central                     |
| AMC509CC    |  | CoreCompact 24 | Central power supply |       | €€         | Yes           | low               | Yes                |                  | central                     |
| AMC509CC-AZ |  | CoreCompact 24 | Central power supply |       | €€         | Yes           | low               | Yes                |                  | central                     |

As of: 27.06.2024 - Subject to technical changes and errors.