




Art.-Nr: AME509CC-E Exit sign Centralised power supply systems Ceiling mounting, CoreCompact 24, CPS, 22 m, IP20, Zinc die-cast, Stainless steel

The AME is a zinc-diecast exit sign for recessed ceiling mounting and for the marking of escape routes. It is part of a complete luminaire series, which features solutions for every mounting situation and was honored with the German Design Award. Luminaires of the A-Series are equipped with modern LED illuminants and offer flexibility with changeable pictograms.







More information



TECHNICAL DATA


| Luminaire type | Exit sign |
|------------------------|-------------------------------------|
| Mounting | Ceiling mounting |
| Recognition distance | 22 m |
| Pictograph | Set |
| Illuminant | LED |
| Housing material | Zinc die-cast |
| Housing color | Stainless steel |
| Protection type (IP) | IP20 |
| Impact resistance (IK) | ≥ 3 |
| Certification | WEEE, CE |
| Insulation class | 2 |
| Supply | Centralised power supply systems |
| Monitoring | CoreCompact 24 |
| Bridging time | CPS |
| Operating mode | Standby circuit / permanent circuit |
| Input voltageAC | 24 V |
| Power max. | 2,5 W |
| Power DS | 2,5 W |
| Power BS | 0,4 W |
| Depth | 92 mm |





| Width | 236 mm |
|----------------------------------|---------------|
| Height | 194 mm |
| Installation dimensions Diameter | 68 mm |
| Weight | 1.45 |
| Weight incl. packaging | 1.81 |
| Connection cross-section | 2.5 mm² |
| Switching input | No |
| Emergency light blocking | No |
| Battery connection | No |
| Dimming function | Yes |
| Luminous flux mains | 165 lm |
| Luminous flux emergency | 165 lm |
| Customs tariff number | 94056180 |
| Country of origin | DEUTSCHLAND |
| EAN | 4260682156389 |

TECHNICAL DRAWING







RELATED PRODUCTS

| ArtNo. | lmage | Monitoring | Supply | Color | Investment | Automatic log | Maintenance level | Remote maintenance | max. Iuminaires | Single luminaire monitoring |
|-----------------|-------|----------------|-------------------------|-------|------------|------------------|----------------------|-----------------------|---------------------|--------------------------------|
| AME009ML | | ML | Central power supply | | €€€ | Yes | low | Yes | 1,920 per system | central |
| AME009ML- AZ | | ML | Central power supply | | €€€ | Yes | low | Yes | 1,920 per system | central |
| AME009ML-E | | ML | Central power supply | | €€€ | Yes | low | Yes | 1,920 per system | central |
| AME509CC | | CoreCompact 24 | Central power supply | | €€ | Yes | low | Yes | | central |
| AME509CC- AZ | | CoreCompact 24 | Central power supply | | €€ | Yes | low | Yes | | central |

As of: 09.07.2024 - Subject to technical changes and errors.