



Art.-Nr: AMR509CC Exit sign Central power supply Recessed wall mounting, CoreCompact 24, Central power supply, 22 m, IP40, Zinc die-cast, white

The AMR is a zinc-diecast exit sign for recessed wall mounting and for the marking of escape routes. It is part of a complete luminaire series, which features solutions for every mounting situation and was honored with the German Design Award. Luminaires of the A-Series are equipped with modern LED illuminants and offer flexibility with changeable pictograms.







More information



TECHNICAL DATA

| Luminaire type | Exit sign |
|------------------------|-------------------------------------|
| Mounting | Recessed wall mounting |
| Recognition distance | 22 m |
| Pictograph | Set |
| Illuminant | LED |
| Housing material | Zinc die-cast |
| Housing color | white |
| Protection type (IP) | IP40 |
| Impact resistance (IK) | ≥ 3 |
| Certification | Waste disposal, CE, ENEC |
| Insulation class | 2 |
| Supply | Central power supply |
| Monitoring | CoreCompact 24 |
| Bridging time | Central power supply |
| Operating mode | Standby circuit / permanent circuit |
| Input voltageAC | 24 V |
| Power max. | 2,6 W |
| Power DS | 2,6 W |
| Power BS | 0,4 W |
| Depth | 79 mm |






| Width | 236 mm |
|--------------------------|---------------|
| Height | 151 mm |
| Installation length | 176 mm |
| Installation width | 68 mm |
| Installation height | 40 mm |
| Weight | 0.95 |
| Weight incl. packaging | 1.31 |
| Connection cross-section | 2.5 mm² |
| Switching input | No |
| Emergency light blocking | No |
| Battery connection | No |
| Luminous flux mains | 165 lm |
| Luminous flux emergency | 165 lm |
| Customs tariff number | 94056180 |
| Country of origin | DEUTSCHLAND |
| EAN | 4260682156457 |





TECHNICAL DRAWING



ACCESSORY LIST

BALLPLX-AM -

AM-XBE -





RELATED PRODUCTS

| ArtNo. | Image | Monitoring | Supply | Color | Investment | Automatic log | Maintenance level | Remote maintenance | max. Iuminaires | Single luminaire monitoring |
|-----------------|----------|----------------|-------------------------|-------|------------|------------------|----------------------|-----------------------|---------------------|--------------------------------|
| AMR009ML | | ML | Central power supply | | €€€ | Yes | low | Yes | 1,920 per system | central |
| AMR009ML- AZ | 3 | ML | Central power supply | | €€€ | Yes | low | Yes | 1,920 per system | central |
| AMR009ML-E | 3 | ML | Central power supply | | €€€ | Yes | low | Yes | 1,920 per system | central |
| AMR509CC- AZ | 3 | CoreCompact 24 | Central power supply | | €€ | Yes | low | Yes | | central |
| AMR509CC-E | | CoreCompact 24 | Central power supply | | €€ | Yes | low | Yes | | central |

As of: 27.06.2024 - Subject to technical changes and errors.