



Art.-Nr: KMB519CC

Sikkerhetslys

Universell, CoreCompact 24, sentral strømforsyning, , IP54, plast, hvit

Compact emergency luminaire for the illumination of escape and rescue routes with prismatic cover for optimized light distribution. This is made possible by the with High-Power SMD LEDs which also have an really long live span of around 50000 h. These luminaires are available for central battery systems or as a selfcontained luminaire. The optional recessed mounting frame hides the luminaire elegantly within the ceiling.



Mer informasjon




TEKNISKE DATA

Type armatur	Sikkerhetslys
Monteringstype	Universell
piktogram	Nei
Lyspærer	LED
Koffertmateriale	plast
Farge på huset	hvit
IP-beskyttelse)	IP54
Slagstyrke (IK)	≥ 3
Sertifisering	Søppeltømming, CE
beskyttelses klasse	3
overvåkning	CoreCompact 24
Brotid	sentral strømforsyning
Maks effekt.	2,1 W
Ytelse DS	2,1 W
Ytelse BS	0,4 W
dybde	250 mm
Bredde	34 mm
Høyde	50 mm
Vekt	0.44
Vekt inkludert emballasje	0.51
Lysstrømnettverk	220 lm



Lysstrøm nødsituasjon	220 lm
Tolltariffnummer	94056120
Opprinnelsesland	DEUTSCHLAND
EAN	4260682157393



KME-EB -
BALL1 -
KMBE -
BALLPLX-KMB -
KMBFH -



LIGNENDE PRODUKTER

Varenr.	Bilde	overvåkning	omsorg	Farge	investering	Automatisk inspeksjonsbok	Vedlikeholdsinnsett	fjernvedlikehold	maks. lys	Individuell lysovervåking
KMB019ML-SW		ML	Sentral strømforsyning		€€€	Ja	lav	Ja	1920 kroner per system	sentralt
KMB019ML		ML	Sentral strømforsyning		€€€	Ja	lav	Ja	1920 kroner per system	sentralt

Fra: 28.06.2024 - Det tas forbehold om tekniske endringer og feil.