




Art.-Nr: WKD413SC

Exit sign

Ceiling, SelfControl, , 36 m, IP20, Metal, white

This polycarbonate luminaire with its cube shape is visible from 4 directions. That makes it ideal for use with crossroads e.g. in department stores with several isles. Planning security is provided through logically predefined imprinted pictograms. LED escape route indication luminaire in accordance with DIN EN 605981, EN 60598-2-22, EN 7010 and DIN EN 1838th.



More information





TECHNICAL DATA


Luminaire type	Exit sign
Mounting	Ceiling
Recognition distance	36 m
Pictograph	Set
Housing material	Metal
Housing color	white
Protection type (IP)	IP20
Impact resistance (IK)	≥ 3
Certification	WEEE, CE
Insulation class	1
Monitoring	SelfControl
Ambient temperature DS	-5 °C - 40 °C
Ambient temperature BS	-5 °C - 40 °C
Depth	195 mm
Width	195 mm
Height	195 mm
Weight	0.72
Weight incl. packaging	0.86
Customs tariff number	94056120
EAN	4260766556883




TECHNICAL DRAWING




WG




WK




WX




WG



WK



WX





ACCESSORY LIST

LFP3233-SET-2AKKU - Technology Battery

As of: 11.07.2024 - Subject to technical changes and errors.